


FEDERATION CYNOLOGIQUE INTERNATIONALE (AISBL) SECRETARIAT GENERAL: 13, Place Albert 1er B – 6530 Thuin (Belgique)

28.10.2009/EN

FCI-Standard N°1

ENGLISH POINTER

(Pointer)



©M.Davidson, illustr. NKU Picture Library

ORIGIN: Great Britain.

<u>DATE OF PUBLICATION OF THE OFFICIAL VALID</u> STANDARD: 28.07.2009.

UTILIZATION: Pointing dog.

FCI-CLASSIFICATION: Group 7 Pointing Dogs.

Section 2.1 British and Irish Pointers

and Setters, Pointer.

With working trial.

<u>GENERAL APPEARANCE</u>: Symmetrical and well built all over, general outline a series of graceful curves. A strong but lissom appearance.

<u>BEHAVIOUR</u> / **<u>TEMPERAMENT</u>**: Aristocratic. Alert with appearance of strength, endurance and speed. Kind, even disposition.

HEAD

CRANIAL REGION:

<u>Skull</u>: Of medium breadth, in proportion to length of foreface. Pronounced occipital bone.

Stop: Well defined.

FACIAL REGION:

<u>Nose</u>: Dark but may be lighter in the case of a lemon and white coloured dog. Nostrils wide, soft and moist.

<u>Muzzle</u>: Somewhat concave, ending on level with nostrils, giving a slightly dish-faced appearance. Slight depression under the eyes.

Lips: Well developed, soft.

<u>Jaw/Teeth</u>: Jaws strong, with perfect, regular and complete scissor bite, i.e. upper teeth closely overlapping lower teeth and set square to the jaws.

Cheeks: Cheek bones not prominent.

EYES: Same distance from occiput as from nostrils, bright and kindly in expression. Either hazel or brown according to colour of coat. Neither bold nor staring, not looking down the nose. Eye rims dark but may be lighter in the case of a lemon and white coloured dog.

EARS: Leathers thin, set on fairly high, lying close to head, of medium length, slightly pointed at tips.

NECK: Long, muscular, slightly arched, springing cleanly from shoulders and free from throatiness.

BODY:

Loin: Strong muscular and slightly arched. Short coupled.

<u>Chest</u>: Just wide enough for plenty of heart room. Brisket well let down, to level with elbows. Ribs well sprung and carried well back, gradually falling away at loin.

<u>TAIL</u>: Medium length, thick at root, tapering gradually to a point. Well covered with close hair, carried on a level with back, with no upward curl. In movement, tail should lash from side to side.

LIMBS

FOREQUARTERS:

<u>General appearance</u>: Forelegs straight and firm, with good oval bone, with back sinews strong and visible.

Shoulder: Long, sloping and well-laid back.

<u>Carpus (Wrist)</u>: Flat with front leg and protruding very little on inside.

<u>Metacarpus (Pastern)</u>: Lengthy, strong and resilient. Slightly sloping. **Forefeet**: Oval, well knit, arched toes, well cushioned.

HINDQUARTERS:

<u>General appearance</u>: Very muscular. **The h**aunch bones well spaced and prominent, not above level of back.

Thigh: Good expanse of first thigh.

Stifle: Well turned.

<u>Lower thigh</u>: Good expanse.

Hock: Well let down.

<u>Hind feet</u>: Oval, well knit, arched toes, well cushioned.

<u>GAIT / MOVEMENT</u>: Smooth, covering plenty of ground. Driving hind action, elbows neither in nor out. Definitely not a hackney action.

COAT

<u>**Hair**</u>: Fine, short, hard and evenly distributed, perfectly smooth and straight with decided sheen.

<u>Colour</u>: Usual colours are lemon and white, orange and white, liver and white, and black and white. Self colours and tricolours are also correct.

SIZE AND WEIGHT:

Height at the withers: Dogs: 63 - 69 cm.

Bitches: 61 - 66 cm.

<u>FAULTS</u>: Any departure from the foregoing points should be considered a fault and the seriousness with which the fault should be regarded should be in exact proportion to its degree and its effect upon the health and welfare of the dog **and on its ability to perform its traditional work.**

DISQUALIFYING FAULTS:

- Aggressive or overly shy dogs.
- Any dog clearly showing physical or behavioural abnormalities.

<u>N.B.</u>:

- Male animals should have two apparently normal testicles fully descended into the scrotum.
- Only functionally and clinically healthy dogs, with breed typical conformation should be used for breeding.

The latest amendments are in bold characters.

SURFACE ANATOMY

